

## **Biomaterialien für die Transplantation chondrogener Zellen zur biologischen Rekonstruktion artikulärer Knorpeldefekte**

### Autoren:

<sup>1</sup>Dr. med. Christoph Gaissmaier, <sup>1</sup>Dr. med. Jürgen Fritz,  
<sup>2</sup>Dipl. Ing. Karin Benz, <sup>2</sup>Dr. rer. nat. Reinout Stoop,  
<sup>1</sup>Dr. med. Bernhard Schewe, <sup>1</sup>Prof. Dr. med. Kuno Weise

### Institute:

<sup>1</sup>Berufsgenossenschaftliche Unfallklinik Tübingen

Schnarrenbergstr. 95

D-72076 Tübingen

Ärztlicher Direktor: Prof. Dr. med. K. Weise

Tel.: +49 (7071) 606-1001

Fax: +49 (7071) 606-1002

Email: [gaissmaier@web.de](mailto:gaissmaier@web.de)

<sup>2</sup>NMI Naturwissenschaftliches und Medizinisches Institut an der Universität Tübingen

Markwiesenstr. 55

D-72770 Reutlingen

Tel.: +49 (7121) 515-30805

Fax: +49 (7121) 515-3016

## LITERATURVERZEICHNIS:

1. Weise K, Krackhardt T, Gaissmaier C (2000) Die operative Behandlung von Gelenkknorpeldefekten unter besonderer Berücksichtigung der autologen Knorpelzelltransplantation: Grundlagen – Ergebnisse – Ausblick. *OP-Journal*; 16: 150-159
2. Freed LE, Martin I, Vunjak-Novakovic G (1999) *Frontiers in tissue engineering*. *Clin Orthop*; 367: 46-58
3. Hunziker EB (2002) Articular cartilage repair: basic science and clinical progress. A review of the current status and prospects. *Osteoarthritis Cartilage*; 10: 432-463
4. Hardingham TE, Fosang AJ, Dudhia J (1992) Aggrecan, the chondroitin sulfate/keratan sulfate proteoglycan from cartilage. In: Kuettner KE, Schleyerbach R, Peyron JG, Hascall VC, eds.: *Articular cartilage and osteoarthritis*. New York: Raven Press; 5-20
5. Otte P (2000) Physiologie der Gelenkerhaltung. In: Otte P, Hrsg.: *Der Arthrose-Prozess. Gelenkerhaltung – Gefährdung – Destruktion. Teil 1: Osteochondrale Strukturen*. Nürnberg: Novartis Pharma Verlag; 13-74
6. Bonassar LJ, Frank EH, Murray JC, Pagnio CG, Moore VL, Lark MW, Sandy JD, Wu JJ, Eyre DR, Grodzinsky AJ (1995) Changes in cartilage composition and physical properties due to stromelysin degradation. *Arthritis Rheum*; 38: 173-183
7. Otte P (2000) Struktur des Krankheitsbildes. In: Otte P, Hrsg.: *Der Arthrose-Prozess. Gelenkerhaltung – Gefährdung – Destruktion Teil 1: Osteochondrale Strukturen*. Nürnberg: Novartis Pharma Verlag; 9-11
8. Buckwalter JA (2002) Articular cartilage injuries. *Clin Orthop*; 402: 21-37.
9. Wirth CJ, Rudert M (1996) Techniques of cartilage growth enhancement: a review of the literature. *Arthroscopy*; 12: 300-308
10. Ewers BJ, Dvoracek-Driksna D, Orth MW, Haut RC (2001) The extent of matrix damage and chondrocyte death in mechanically traumatized articular cartilage explants depends on rate of loading. *J Orthop Res*; 19: 779-784
11. Fujisawa T, Hattori T, Takahashi K, Kuboki T, Yamashita A, Takigawa M (1999) Cyclic mechanical stress induces extracellular matrix degeneration in cultured chondrocytes via gene expression of matrix metalloproteinases and interleukin-1. *J Biochem*; 125: 966-975
12. Jennings L, Wu L, King KB, Hammerle H, Cs-Szabo G, Mollenhauer J (2001) The effects of collagen fragments on the extracellular matrix metabolism of bovine and human chondrocytes. *Connect Tissue Res*; 42: 71-86
13. Kutz B, Jin M, Patwari P, Cheng DM, Lark MW, Grodzinsky AJ (2001) Biosynthetic response and mechanical properties of articular cartilage after injurious compression. *J Orthop Res*; 6: 1140-1146
14. Hedbom E, Häuselmann HJ (2002) Molecular aspects of pathogenesis in osteoarthritis: the role of inflammation. *Cell Mol Life Sci*; 1: 45-53
15. Appleyard RC, Burkhardt D, Ghosh P, Read R, Cake M, Swain MV, Murrell GA (2003) Topographical analysis of the structural, biochemical and dynamic biomechanical properties of cartilage in an ovine model of osteoarthritis. *Osteoarthritis Cartilage*; 11: 65-77
16. Kaab MJ, Ito K, Rahn B, Clark JM, Notzli HP (2000) Effect of mechanical load on articular cartilage collagen structure: a scanning electron-microscopic study. *Cells Tissues Organs*; 167: 106-120

17. Quinn TM, Allen RG; Schalet BJ, Perumbuli P, Hunziker EB (2001) Matrix and cell injury due to sub-impact loading of adult bovine articular cartilage explants: effects of strain rate and peak stress. *J Orthop Res*; 19: 242-249
18. Thibault M, Poole AR, Buschmann MD (2002) Cyclic compression of cartilage/bone explants in vitro leads to physical weakening, mechanical breakdown of collagen and release of matrix fragments. *J Orthop Res*; 20: 1265-1273
19. Smith MD, Triantafyllou S, Parker A, Youssef PP, Coleman M (1997) Synovial membrane inflammation and cytokine production in patients with early osteoarthritis. *J Rheumatol*; 24: 365-371
20. Aigner T, McKenna L (2002) Molecular pathology and pathobiology of osteoarthritic cartilage. *Cell Mol Life Sci*; 59: 5-18
21. Bayliss MT (1992) Metabolism of animal and human osteoarthritic cartilage. In: Kuettner KE, Schleyerbach R, Peyron JG, Hascall VC, eds.: *Articular cartilage and osteoarthritis*. New York: Raven Press; 487-500
22. Reddi AH (1994) Bone and cartilage differentiation. *Curr Opin Genet Dev*; 4: 737-744
23. Aglietti P, Ciardullo A, Giron F, Ponteggia F (2001) Results of arthroscopic excision of the fragment in the treatment of osteochondritis dissecans of the knee. *Arthroscopy*; 17: 741-746
24. Maletius W, Messner K (1996) Chondral damage and age depress the long-term prognosis after partial meniscectomy. A 12- to 15-year follow-up study. *Knee Surg Sports Traumatol Arthrosc*; 3: 211-214
25. Twyman RS, Desai K, Aichroth PM (1991) Osteochondritis dissecans of the knee. A long term study. *J Bone Joint Surg Br*; 73: 461-464
26. Weise K, Fritz J, Hörnlein RS, Krackhardt T, Gaissmaier C (1999) Die autologe Chondrocytentransplantation. Grundlagen, aktueller Stand und Ausblick *Deutsche Gesellschaft für Unfallchirurgie (DGU) Mitteilungen und Nachrichten* 39: 28-38
27. Gaissmaier C, Fritz J, Mollenhauer J, Schneider U, Marlovits S, Anders J, Schewe B, Weise K (2003) Verlauf klinisch symptomatischer Knorpelschäden des Kniegelenks. Ergebnisse ohne und mit biologischer Rekonstruktion. *Dtsch Arztebl* 2003; 100: A 2448-2453 [38]
28. Jakob RP, Franz T, Gautier E, Mainil-Varlet P (2002) Autologous osteochondral grafting in the knee: Indication, results, and reflections. *Clin Orthop*; 401: 170-184
29. Bentley G, Biant LC, Carrington RW, Akmal M, Goldberg A, Williams AM, Skinner JA, Pringle J (2003) A prospective randomised comparison of autologous chondrocyte implantation versus mosaicplasty for osteochondral defects in the knee. *J Bone Joint Surg Br*; 85: 223-230
30. D'Lima DD, Bermejo R, Colwell, C (2002) A nonlinear viscoelastic finite element model evaluating the effects of autologous osteochondral grafting in the treatment of cartilage defects. Transactions of the 48th Annual meeting of the Orthopaedic Research Society; Dallas, USA, February 10-13, ([www.ors.org/Transactions/Transactions.asp](http://www.ors.org/Transactions/Transactions.asp))
31. Burkart A, Imhoff AB (2000) Bildgebung nach autologer Chondrocytentransplantation. Korrelation kernspintomographischer, histologischer und arthroskopischer Befunde. *Orthopäde*; 29: 135-144
32. Giannini S, Vannini F, Buda R (2002) Osteoarticular grafts in the treatment of OCD of the talus: mosaicplasty versus autologous chondrocyte transplantation. *Foot Ankle Clin*; 7: 621-633

33. Peterson L, Brittberg M, Kiviranta I, Akerlund EL, Lindahl A (2002) Autologous chondrocyte transplantation. Biomechanics and long-term durability. *Am J Sports Med*; 30: 2-12
34. Peterson L, Minas T, Brittberg M, Nilsson A, Sjogren-Jansson E, Lindahl A (2000) Two- to 9-year outcome after autologous chondrocyte transplantation of the knee. *Clin Orthop*; 374: 212-234
35. Roberts S, Hollander AP, Caterson B, Menage J, Richardson JB (2001) Matrix turnover in human cartilage repair tissue in autologous chondrocyte implantation. *Arthritis Rheum*; 44: 2586-2598
36. Roberts S, McCall IW, Darby AJ, Menage J, Evans H, Harrison PE, Richardson JB (2003) Autologous chondrocyte implantation for cartilage repair: monitoring its success by magnetic resonance imaging and histology. *Arthritis Res Ther*; 5: 60-73. Epub
37. Gillis A, Bashir A, McKeon B, Scheller A, Gray ML, Burstein D (2001) Magnetic resonance imaging of relative glycosaminoglycan distribution in patients with autologous chondrocyte transplants. *Invest Radiol*; 36: 743-748
38. Brittberg M, Lindahl A, Nilsson A, Ohlsson C, Isaksson O, Peterson L (1994) Treatment of deep cartilage defects in the knee with autologous chondrocyte transplantation. *N Engl J Med*; 331: 889-895
39. Gaissmaier C, Fritz J, Müller JE, Krackhardt T, Rether JR, Höntzsch D, Weise K (1998) Autologe Knorpelzelltransplantation - Indikation und Technik. *Akt Traumatol*; 28: 245-250
40. Dell'Accio F, De Bari C, Luyten FP (2001) Molecular markers predictive of the capacity of expanded human articular chondrocytes to form stable cartilage in vivo. *Arthritis Rheum*; 44: 1608-1619
41. Dell'Accio F, Vanlauwe J, Bellemans J, Neys J, De Barri C, Luyten FP (2003) Expanded phenotypically stable chondrocytes persist in the repair tissue and contribute to cartilage matrix formation and structural integration in a goat model of autologous chondrocyte implantation. *J Orthop Res*; 21: 123-131
42. Peterson L (2002) Articular cartilage transplantation 13 years experience. *J Bone Joint Surg Br* 2002; 84 (Suppl. 3): 242
43. Erggelet C, Anderson AF, Arciero R, Browne JE, Fu F, Mandelbaum B, Micheli L, Moseley B (2002) Marrow stimulation techniques versus autologous chondrocyte implantation for treatment of full-thickness chondral defects of the knee: comparison of patient outcomes at 3-5 years. *Transactions of the 4th ICRS Symposium*; Toronto, Canada, June 15-18, ([www.cartilage.org](http://www.cartilage.org))
44. Erggelet C, Browne JE, Fu F, Mandelbaum BR, Micheli LJ, Mosely JB (2000) Die autologe Chondrocytentransplantation zur Behandlung von Knorpeldefekten des Kniegelenks. *Zentralbl Chir*; 125: 516-522
45. Hart JAL, Bardana D, Paddle-Ledinik J (2002) Arthroscopic evaluation of cartilage repair following autologous chondrocyte implantation. *J Bone Joint Surg Br*; 84 (Suppl. 3): 275
46. Knutsen G, Engebretsen L, Ludvigsen TC, Drogset JO, Grontvedt T, Solheim E, Strand T, Isaksen V, Johansen O (2002) Autologous chondrocyte implantation versus microfracture. A prospective randomised Norwegian multicenter-trial. *Transactions of the 4th ICRS Symposium 2002*; Toronto, Canada, June 15-18, ([www.cartilage.org](http://www.cartilage.org))

47. Löhnert J, Ruhnau K, Gossen A, Bernsmann K, Wiese M (1999) Autologe Chondrocytentransplantation im Kniegelenk. *Arthroskopie*; 12: 34-42
48. Micheli LJ, Browne JE, Erggelet C, Fu F, Mandelbaum B, Moseley JB, and Zurakowski D (2001) Autologous chondrocyte implantation of the knee: multicenter experience and minimum 3-year follow-up. *Clin J Sport Med*; 11: 223-228
49. Richardson JB, Caterson B, Evans EH, Ashton BA, Roberts S (1999) Repair of human articular cartilage after implantation of autologous chondrocytes. *J Bone Joint Surg Br*; 81: 1064-1068.
50. Koulalis D, Schultz W, Heyden M (2002) Autologous chondrocyte transplantation for osteochondritis dissecans of the talus. *Clin Orthop* 2002; 395: 186-192
51. Minas T (2002) Clinical experience of autologous chondrocyte implantation for the severely injured. Transactions of the 4th ICRS Symposium; Toronto, Canada, June 15-18, ([www.cartilage.org](http://www.cartilage.org))
52. Behrens P, Bruns J, Erggelet C, Esenwein S, Gaissmaier C, Gekle C, Krackhardt T, Marlovits S, Mollenhauer J, Niethard FU, Perka C, Ruhnau K, Schneider U, Steinwachs M, Weise K (2002) AG – ACT und Tissue Engineering – unter Schirmherrschaft der DGU und DGOOC. *DGU – Mitteilungen und Nachrichten*; 45: 34-41. *Z Orthop*; 140: 132 - 137
53. Aicher WK, Gaissmaier C, Fritz J (2003) Quality assurance of autologous chondrocyte transplantation. In: Hendrich C, Nöth U, Eulert J, eds.: *Cartilage and surgery and future perspectives*. Heidelberg: Springer Verlag; 123-129
54. Zheng MH (2002) The impact of cellular characteristics in autologous chondrocyte transplantation. *J Bone Joint Surg Br*; 84 (Suppl. 3): 286-287
55. Drobnic M, Kreagr-Velikonja N, Radosa Vljevic D, Gorensk M, Koritnik B, Malicev E, Wozniak G, Jeras M, Knezevic M (2002) The outcome of autologous chondrocyte transplantation treatment of cartilage lesions in the knee. *Cell Mol Biol Lett*; 7: 361-363
56. Mont MA, Jones LC, Vogelstein BN, Hungerford DS (1999) Evidence of inappropriate application of autologous cartilage transplantation therapy in an uncontrolled environment. *Am J Sports Med* 1999; 27: 617-620
57. Nehrer S, Spector M, Minas T (1999) Histologic analysis of tissue after failed cartilage repair procedures. *Clin Orthop*; 365: 149-162
58. Driesang IM, Hunziker EB (2000) Delamination rates of tissue flaps used in articular cartilage repair. *J Orthop Res*; 18: 909-911
59. Fritz J (2003) Technik der Autologen Chondrocytentransplantation (ACT). In: Fritz J, Aicher WK, Eichhorn HJ, Hrsg.: *Praxisleitfaden der Knorpelreparatur*. Heidelberg: Springer Verlag; 85-95
60. Aicher WK, Gaissmaier C (2003) Ausblicke und Zukunftsperspektiven für die Autologe Chondrocytentransplantation (ACT). In: Fritz J, Aicher WK, Eichhorn HJ, Hrsg.: *Praxisleitfaden der Knorpelreparatur*. Heidelberg: Springer Verlag; 143-148
61. Frenkel SR, Toolan B, Menche D, Pitman MI, Pachence JM (1997) Chondrocyte transplantation using a collagen bilayer matrix for cartilage repair. *J Bone Joint Surg Br*; 79: 831-836
62. Grigolo B, Roseti L, Fiorini M, Fini M, Giavaresi G, Aldini NN, Giardino R, Facchini A (2001) Transplantation of chondrocytes seeded on a hyaluronan derivative (hyaff-11) into cartilage defects in rabbits. *Biomaterials*; 22: 2417-2424

63. Cherubino P, Grassi FA, Bulgheroni P, Ronga M (2003) Autologous chondrocyte implantation using a bilayer collagen membrane: A preliminary report. *J Orthop Surg*; 11: 10-15
64. Erggelet C, Sittinger M, Lahm A (2003) The arthroscopic implantation of autologous chondrocytes for the treatment of full-thickness cartilage defects of the knee joint. *Arthroscopy*; 19: 108-110
65. Marcacci M, Zaffagnini S, Kon E, Visani A, Iacono F, Loreti I (2002) Arthroscopic autologous chondrocyte transplantation: technical note. *Knee Surg Sports Traumatol Arthrosc*; 10: 154-159. Epub
66. Bissell MJ, Hall HG, Parry G (1982) How does the extracellular matrix direct gene expression? *J Theor Biol*; 99: 31-68
67. Hauschka SD, Konigsberg IR (1966) The influence of collagen on the development of muscle clones. *Proc Natl Acad Sci*; 55: 119-126
68. Loeser RF (2002) Integrins and cell signaling in chondrocytes. *Biorheology*; 39: 119-124
69. Buckwalter JA, Mankin HJ (1998) Articular cartilage: tissue design and chondrocyte-matrix interactions. *Instr Course Lect*; 47: 477-486
70. Hauschka PV, Mavrakos AE, Iafrafi MD, Doleman SE, Klagsbrun M (1986) Growth factors in bone matrix. Isolation of multiple types by affinity chromatography on heparin-sepharose. *J Biol Chem*; 261: 12665-12674
71. Reddi AH (1998) Cartilage-derived morphogenetic proteins and cartilage morphogenesis. *Microsc Res Tech*; 43: 131-136
72. Kobayashi M et al. (2000) A peptide of type II collagen up-regulates gene expression of collagenase and proinflammatory cytokines through a MAP-kinase pathway in human articular chondrocytes. *Arthritis and Rheumatism*; 46: 80
73. van der Kraan PM, Buma P, van Kuppevelt T, van den Berg WB (2002) Interaction of chondrocytes, extracellular matrix and growth factors: relevance for articular cartilage tissue engineering. *Osteoarthritis Cartilage*; 10: 631-637
74. Pittenger MF, Mackay AM, Beck SC, Jaiswal RK, Douglas R, Mosca JD, Moorman MA, Simonetti DW, Craig S, Marshak DR (1999) Multilineage potential of adult human mesenchymal stem cells. *Science*; 284: 143-147
75. Jäger M, Wild A, Fuß M, Werner A, Krauspe R (2002) Vorteile von Biomatrizes bei der Chondrogenese von pluripotenten mesenchymalen Stammzellen. *Z Orthop*, 140: 681-689
76. Winter A, Breit S, Parsch D, Benz K, Steck E, Hauner H, Weber RM, Ewerbeck V, Richter W (2003) Cartilage-like gene expression in differentiated human stem cell spheroids: a comparison of bone marrow-derived and adipose tissue-derived stromal cells. *Arthritis Rheum*; 48: 418-429
77. Gille J, Ehlers EM, Okroi M, Russlies M, Behrens P (2002) Apoptotic chondrocyte death in cell-matrix biocomposites used in autologous chondrocyte transplantation. *Ann Anat*; 184: 325-332
78. Schuman L, Buma P, Versleyen D, de Man B, van der Kraan PM, van den Berg WB, Homminga GN (1995) Chondrocyte behaviour within different types of collagen gel in vitro. *Biomaterials*; 16: 809-814
79. Malyak M, Swaney RE, Arend WP (1993) Levels of synovial fluid interleukin-1 receptor antagonist in rheumatoid arthritis and other arthropathies. Potential contribution from synovial fluid neutrophils. *Arthritis Rheum*; 36: 781-789

80. Lee MC, Sung KL, Kurtis MS, Akeson WH, Sah RL (2000) Adhesive force of chondrocytes to cartilage. Effects of chondroitinase ABC. *Clin Orthop*; 370: 286-294
81. Bos PK, DeGroot J, Budde M, Verhaar JA, van Osch GJ (2002) Specific enzymatic treatment of bovine and human articular cartilage: implications for integrative cartilage repair. *Arthritis Rheum*; 46: 976-985
82. Buma P, Pieper JS, van Tienen T, van Susante JL, van der Kraan PM, Veerkamp JH, van den Berg WB, Veth RP, van Kuppevelt TH (2003) Cross-linked type I and type II collagenous matrices for the repair of full-thickness articular cartilage defects – a study in rabbits. *Biomaterials*; 24: 3255-3263
83. Lee CR, Grodzinsky AJ, Hsu HP, Spector M (2003) Effects of a cultured autologous chondrocyte-seeded type II collagen scaffold on the healing of a chondral defect in a canine model. *J Orthop Res*; 21: 272-281
84. Nehrer S, Breinan HA, Ramappa A, Shortkroff S, Young G, Minas T, Sledge CB, Yannas IV, Spector M (1997) Canine chondrocytes seeded in type I and type II collagen implants investigated in vitro. *J Biomed Mater Res*; 38: 95-104
85. Allemann F, Mizuno S, Eid K, Yates KE, Zaleske D, Glowacki J (2001) Effects of hyaluronan on engineered articular cartilage extracellular matrix gene expression in 3-dimensional collagen scaffolds. *J Biomed Mater Res*; 55: 13-19
86. van Susante JLC, Pieper J, Buma P, van Kuppevelt TH, van Beuningen H, van der Kraan PM, Veerkamp JH, van den Berg WB, Veth RPH (2001) Linkage of chondroitin-sulfate to type I collagen scaffolds stimulates the bioactivity of seeded chondrocytes in vitro. *Biomaterials*; 22: 2359-2369
87. Bassleer CT, Combal JP, Bougaret S, Malaise M (1998) Effects of chondroitin sulfate and interleukin-1 beta on human articular chondrocytes cultivated in clusters. *Osteoarthritis Cartilage*; 3: 196-204
88. Mathieu P (2002) [A new mechanism of action of chondroitin sulfates ACS4-ACS6 in osteoarthritic cartilage] *Presse Med*; 31:1383-1385
89. Stöve J, Gerlach C, Huch K, Gunther KP, Puhl W, Scharf HP (2002) Effects of hyaluronan on proteoglycan content of osteoarthritic chondrocytes in vitro. *J Orthop Res*; 20: 551-555
90. Ochi M, Uchio Y, Kawasaki K, Wakitani S, Iwasa J (2002) Transplantation of cartilage-like tissue made by tissue engineering in the treatment of cartilage defects of the knee. *J Bone Joint Surg Br*; 84: 571-578
91. Ushida T, Furukawa K, Toita K, Tateishi T (2002) Three-dimensional seeding of chondrocytes encapsulated in collagen gel into PLLA scaffolds. *Cell Transplant*; 11: 489-494
92. Goa KL, Benfield P (1994) Hyaluronic acid – a review of its pharmacology and use as a surgical aid in ophthalmology, and its therapeutic potential in joint disease and wound healing. *Drugs*; 47: 536-566
93. Barbucci R, Magnani A, Rappuoli R, Lamponi S, Consumi M (2000) Immobilisation of sulphated hyaluronan for improved biocompatibility. *J Inorg Biochem*; 79: 119-25
94. Butnariu-Ephrat M, Robinson D, Mendes DG, Halperin N, Nevo Z (1996) Resurfacing of goat articular cartilage by chondrocytes derived from bone marrow. *Clin Orthop*; 330: 234-243
95. Pavesio A, Abatangelo G, Borrione A, Brocchetta D, Hollander AP, Kon E, Torasso F, Zanasi S, Marcacci M (2003) Hyaluronan-based scaffolds (Hyalograft C) in the treatment of knee cartilage defects: preliminary clinical findings. *Novartis Found Symp*; 249: 203-217

96. Knudson W, Casey B, Nishida Y, Eger W, Kuettner KE, Knudson CB (2000) Hyaluronan oligosaccharides perturb cartilage matrix homeostasis and induce chondrocytic chondrolysis. *Arthritis Rheum*; 43: 1165-1174
97. Bulpitt P, Aeschlimann D (1999) New strategy for chemical modification of hyaluronic acid: preparation of functionalized derivatives and their use in the formation of novel biocompatible hydrogels. *J Biomed Mater Res*; 47: 152-169
98. Häuselmann HJ, Aydelotte MB, Schumacher BL, Kuettner KE, Gitelis SH, Thonar EJ (1992) Synthesis and turnover of proteoglycans by human and bovine adult articular chondrocytes cultured in alginate beads. *Matrix*; 12: 116-129
99. Lee DA, Reisler T, Bader DL (2003) Expansion of chondrocytes for tissue engineering in alginate beads enhances chondrocytic phenotype compared to conventional monolayer techniques. *Acta Orthop Scand*; 74: 6-15
100. Kolettas E, Buluwela L, Bayliss MT, Muir HI (1995) Expression of cartilage-specific molecules is retained on long-term culture of human articular chondrocytes. *J Cell Sci*; 108: 1991-1999
101. Bonaventure J, Kadhom N, Cohen-Solal L, Ng KH, Bourguignon J, Lasselin C, Freisinger P (1994) Reexpression of cartilage-specific genes by dedifferentiated human articular chondrocytes cultured in alginate beads. *Exp Cell Res*; 212: 97-104
102. Benya PD, Shaffer JD (1982) Dedifferentiated chondrocytes reexpress the differentiated collagen phenotype when cultured in agarose gels. *Cell*; 30: 215-224
103. Häuselmann HJ, Masuda K, Hunziker EB, Neidhart M, Mok SS, Michel BA, Thonar EJ (1996) Adult human chondrocytes cultured in alginate form a matrix similar to native human articular cartilage. *Am J Physiol*; 271: 742-752
104. Masuda K, Sah RL, Hejna MJ, Thonar EJ (2003) A novel two-step method for the formation of tissue-engineered cartilage by mature bovine chondrocytes: the alginate-recovered-chondrocyte (ARC) method. *J Orthop Res*; 21: 139-148
105. Brandstedt S, Rank F, Olson PS (1980) Wound healing and formation of granulation tissue in normal and defibrinogenated rabbits. An experimental model and histological study. *Eur Surg Res*; 12: 12-21
106. van Hinsbergh VW, Collen A, Koolwijk P (2001) Role of fibrin matrix in angiogenesis. *Ann N Y Acad Sci*; 936: 426-437
107. Shapiro F, Koide S, Glimcher MJ (1993) Cell origin and differentiation in the repair of full-thickness defects of articular cartilage. *J Bone Joint Surg Am*; 75: 532-553
108. Altman RD, Kates J, Chun LE, Dean DD, Eyre D (1992) Preliminary observations of chondral abrasion in a canine model. *Ann Rheum Dis*; 51: 1056-1062
109. Hayes DW Jr, Brower RL, John KJ (2001) Articular cartilage. Anatomy, injury, and repair. *Clin Podiatr Med Surg*; 18: 35-53
110. Steadman JR, Rodkey WG, Rodrigo JJ (2001) Microfracture: surgical technique and rehabilitation to treat chondral defects. *Clin Orthop*; 391 (Suppl): 362-369
111. Reddi AH (1998) Role of morphogenetic proteins in skeletal tissue engineering and regeneration. *Nat Biotechnol*; 16: 247-252
112. Ng KW, Romas E, Donnan L, Findlay DM (1997) Bone biology. *Baillieres Clin Endocrinol Metab*; 11: 1-22
113. Meinhart J, Fussenegger M, Hobling W (1999) Stabilization of fibrin-chondrocyte constructs for cartilage reconstruction. *Ann Plast Surg*; 42: 673-678

114. Hendrickson DA, Nixon AJ, Grande DA, Todhunter RJ, Minor RM, Erb H, Lust G (1994) Chondrocyte-fibrin matrix transplants for resurfacing extensive articular cartilage defects. *J Orthop Res*; 12: 485-497
115. van Susante JL, Buma P, Schuman L, Homminga GN, van den Berg WB, Veth RP (1999) Resurfacing potential of heterologous chondrocytes suspended in fibrin glue in large full-thickness defects of femoral articular cartilage: an experimental study in the goat. *Biomaterials*; 20: 1167-1175
116. Nixon AJ, Fortier LA, Williams J, Mohammed H (1999) Enhanced repair of extensive articular defects by insulin-like growth factor-I-laden fibrin composites. *J Orthop Res*; 17: 475-487
117. Silverman RP, Bonasser L, Passaretti D, Randolph MA, Yaremchuk MJ (2000) Adhesion of tissue-engineered cartilage to native cartilage. *Plast Reconstr Surg*; 105: 1393-1398
118. Peretti GM, Randolph MA, Villa MT, Buragas MS, Yaremchuk MJ (2000) Cell-based tissue-engineered allogeneic implant for cartilage repair. *Tissue Eng*; 6: 567-576
119. Gibson LG, Walls HJ, Kennedy SB, Welsh ER (2003) Chitosan hydrogels: crosslink kinetics and gel properties. *Polymeric Materials: Science & Engineering*; 83: 199-200
120. Suh JK, Matthew HW (2000) Application of chitosan-based polysaccharide biomaterials in cartilage tissue engineering: a review. *Biomaterials*; 21: 2589-2598
121. Sechriest VF, Miao YJ, Niyibizi C, Westerhausen-Larson A, Matthew HW, Evans CH, Fu FH, Suh JK (2000) GAG-augmented polysaccharide hydrogel: a novel biocompatible and biodegradable material to support chondrogenesis. *J Biomed Mater Res*; 49: 534-541
122. Lahiji A, Sohrabi A, Hungerford DS, Frondoza CG (2000) Chitosan supports the expression of extracellular matrix proteins in human osteoblasts and chondrocytes. *J Biomed Mater Res*; 51: 586-595
123. Denuziere A, Ferrier D, Domard A (2000) Interactions between chitosan and glycosaminoglycans (chondroitin sulfate and hyaluronic acid): physicochemical and biological studies. *Ann Pharm Fr*; 58: 47-53
124. Sudarshan NR, Hoover DG, Knorr D (1992). Antibacterial action of chitosan. *Food Biotechnol*; 6: 257-272
125. Rhoades J, Roller S (2000) Antimicrobial actions of degraded and native chitosan spoilage organisms in laboratory media and foods. *Applied and Environmental Microbiology*; 66: 80-86
126. Nettles DL, Elder SH, Gilbert JA (2002) Potential use of chitosan as a cell scaffold material for cartilage tissue engineering; *Tissue Eng*; 8: 1009-1016
127. Mattioli-Belmonte M, Gigante A, Muzzarelli RA, Politano R, De Benedittis A, Specchia N, Buffa A, Biagini G, Greco F (1999) N,N-dicarboxymethyl chitosan as delivery agent for bone morphogenetic protein in the repair of articular cartilage. *Med Biol Eng Comput*; 37: 130-134
128. Costain DJ, Kennedy R, Ciona C, McAlister VC, Lee TD (1997) Prevention of postsurgical adhesions with N,O-carboxymethyl chitosan: examination of the most efficacious preparation and the effect of N,O-carboxymethyl chitosan on postsurgical healing. *Surgery*; 121: 314-319
129. Xia WY, Liu W, Cui L, Shang QX, Liu YC, Zhong W, Cao YL (2003) [The experimental study of tissue engineered autologous cartilage using chitosan-gelatin complex scaffolds] *Zhonghua Yi Xue Za Zhi*; 83: 577-579

130. Ma Z, Gao C, Gong Y, Ji J, Shen J (2002) Immobilization of natural macromolecules on poly-L-lactic acid membrane surface in order to improve its cytocompatibility. *J Biomed Mater Res*; 63: 838-847
131. Cui YL, Qi AD, Liu WG, Wang XH, Wang H, Ma DM, Yao KD (2003) Biomimetic surface modification of poly(L-lactic acid) with chitosan and its effects on articular chondrocytes in vitro. *Biomaterials*; 24: 3859-3868
132. Spain TL, Agrawal CM, Athanasiou KA (1998) New technique to extend the useful life of a biodegradable cartilage implant. *Tissue Eng*; 4: 343-352
133. Sittinger M, Reitzel D, Dauner M, Hierlemann H, Hammer C, Kastenbauer E, Planck H, Burmester GR, Bujia J (1996) Resorbable polyesters in cartilage engineering: affinity and biocompatibility of polymer fiber structures to chondrocytes. *J Biomed Mater Res*; 33: 57-63
134. Grad S, Zhou L, Gogolewski S, Alini M (2003) Chondrocytes seeded onto poly (L/DL-lactide) 80%/20% porous scaffolds: A biochemical evaluation. *J Biomed Mater Res*; 66: 571-579
135. Marijnissen WJ, van Osch GJ, Aigner J, Verwoerd-Verhoef HL, Verhaar JA (2000) Tissue-engineered cartilage using serially passaged articular chondrocytes. Chondrocytes in alginate, combined in vivo with a synthetic (E210) or biologic biodegradable carrier (DBM). *Biomaterials*; 21: 571-580
136. Freed LE, Marquis JC, Nohria A, Emmanuel J, Mikos AG, Langer R (1993) Neocartilage formation in vitro and in vivo using cells cultured on synthetic biodegradable polymers. *J Biomed Mater Res*; 27: 11-23
137. Chu CR, Coutts RD, Yoshioka M, Harwood FL, Monosov AZ, Amiel D (1995) Articular cartilage repair using allogeneic perichondrocyte-seeded biodegradable porous polylactic acid (PLA): a tissue-engineering study. *J Biomed Mater Res*; 29: 1147-1154
138. Chu CR, Monosov AZ, Amiel D (1995) In situ assessment of cell viability within biodegradable polylactic acid polymer matrices. *Biomaterials*; 16: 1381-1384
139. Martin I, Shastri VP, Padera RF, Yang J, Mackay AJ, Langer R, Vunjak-Novakovic G, Freed LE (2001) Selective differentiation of mammalian bone marrow stromal cells cultured on three-dimensional polymer foams. *J Biomed Mater Res*; 55: 229-235
140. Blunk T, Sieminski AL, Gooch KJ, Courter DL, Hollander AP, Nahir AM, Langer R, Vunjak-Novakovic G, Freed LE (2002) Differential effects of growth factors on tissue-engineered cartilage. *Tissue Eng*; 8: 73-84
141. Pei M, Solchaga LA, Seidel J, Zeng L, Vunjak-Novakovic G, Caplan AI, Freed LE (2002) Bioreactors mediate the effectiveness of tissue engineering scaffolds. *FASEB J*; 16: 1691-1694. Epub
142. Rudert M (2003) Kultur und Transplantation von Chondrozyten auf Polymer-Vliesen und lyophilisierter Dura. *Biomaterialien* 4; 31-37
143. Defrere J, Franckart A (1992) Teflon/polyurethane arthroplasty of the knee: the first 2 years preliminary clinical experience in a new concept of artificial resurfacing of full thickness cartilage lesions of the knee. *Acta Chir Belg*; 92: 217-227
144. Larno S, Calvet MC, Calvet J, Adolphe M, Lechat P (1985) Sodium butyrate-induced changes in cultured rabbit articular chondrocyte transmembrane electrical potentials. Relationship between these changes and the proliferative response. *Life Sci*; 36: 2069-2073
145. Messner K (1993) Hydroxylapatite supported Dacron plugs for repair of isolated full-thickness osteochondral defects of the rabbit femoral condyle: mechanical and histological evaluations from 6-48 weeks. *J Biomed Mater Res*; 27: 1527-1532

146. Messner K, Gillquist J (1993) Synthetic implants for the repair of osteochondral defects of the medial femoral condyle: a biomechanical and histological evaluation in the rabbit knee. *Biomaterials*; 14: 513-521
147. Hanff G, Sollerman C, Abrahamsson SO, Lundborg G (1990) Repair of osteochondral defects in the rabbit knee with Gore-Tex (expanded polytetrafluoroethylene). An experimental study *Scand J Plast Reconstr Surg Hand Surg*; 24: 217-223
148. Robinson D, Efrat M, Mendes DG, Halperin N, Nevo Z (1993) Implants composed of carbon fiber mesh and bone-marrow-derived, chondrocyte-enriched cultures for joint surface reconstruction. *Bull Hosp Jt Dis*; 53: 75-82
149. Kus WM, Gorecki A, Strzelczyk P, Swiader P (1999) Carbon fiber scaffolds in the surgical treatment of cartilage lesions. *Ann Transplant*; 4: 101-102
150. Meister K, Cobb A, Bentley G (1998) Treatment of painful articular cartilage defects of the patella by carbon-fibre implants. *J Bone Joint Surg Br*; 80: 965-970
151. Bezemer JM, Radersma R, Grijpma DW, Dijkstra PJ, van Blitterswijk CA, Feijen J (2000) Microspheres for protein delivery prepared from amphiphilic multiblock copolymers. 2. Modulation of release rate. *J Control Release*; 67: 249-260
152. Liu Q, de Wijn JR, van Blitterswijk CA (1997) Nano-apatite/polymer composites: mechanical and physicochemical characteristics. *Biomaterials*; 18: 1263-1270
153. Papadaki M, Mahmood T, Gupta P, Claase MB, Grijpma DW, Riesle J, van Blitterswijk CA, Langer R (2001) The different behaviors of skeletal muscle cells and chondrocytes on PEGT/PBT block copolymers are related to the surface properties of the substrate *J Biomed Mater Res*; 54: 47-58
154. Seitz H, Marlovits S, Schwendenwein I, Vecsei V, Losert U (1996) [Biocompatibility of polyethylene terephthalate – PET – (Trevira strong) – an in vivo study of the sheep knee] *Biomed Tech (Berl)*; 41: 178-182
155. Hutcheon GA, Messiou C, Wyre RM, Davies MC, Downes S (2001) Water absorption and surface properties of novel poly(ethylmethacrylate) polymer systems for use in bone and cartilage repair. *Biomaterials*; 22: 667-676
156. Wyre RM, Downes S (2002) The role of protein adsorption on chondrocyte adhesion to a heterocyclic methacrylate polymer system. *Biomaterials*; 23: 357-364
157. Kisiday J, Jin M, Kurz B, Hung H, Semino C, Zhang S, Grodzinsky AJ (2002) Self-assembling peptide hydrogel fosters chondrocyte extracellular matrix production and cell division: implications for cartilage tissue repair. *Proc Natl Acad Sci*; 99: 9996-10001. Epub
158. Wang D, Williams CG, Li Q, Sharma B, Elisseeff JH (2003) Synthesis and characterization of a novel degradable phosphate-containing hydrogel. *Biomaterials*; 24: 3969-3980
159. Malmonge SM, Zavaglia CA, Belangero WD (2000) Biomechanical and histological evaluation of hydrogel implants in articular cartilage. *Braz J Med Biol Res*; 33: 307-312
160. Wang C, Bo B, Zhao Q, Guo X, Duan C, Wang Y, Fan M, Lu J (2002) [Cartilage engineering utilizing a porous bioceramic (beta-TCP)-cell complex] *Zhonghua Zheng Xing Wai Ke Za Zhi*; 18: 9-11
161. Cheung HS (1985) In vitro cartilage formation on porous hydroxyapatite ceramic granules. *In Vitro Cell Dev Biol*; 21: 353-357
162. Iyoda K, Miura T, Nogami H. (1993) Repair of bone defect with cultured chondrocytes bound to hydroxyapatite. *Clin Orthop*; 288: 287-293

163. Cheung HS, Halverson PB, McCarty DJ (1983) Phagocytosis of hydroxyapatite or calcium pyrophosphate dihydrate crystals by rabbit articular chondrocytes stimulates release of collagenase, neutral protease, and prostaglandins E2 and F2 alpha. *Proc Soc Exp Biol Med*; 173: 181-189
164. van Susante JL, Buma P, Homminga GN, van den Berg WB, Veth RP (1998) Chondrocyte-seeded hydroxyapatite for repair of large articular cartilage defects. A pilot study in the goat. *Biomaterials*; 19: 2367-2374
165. Bonen DK, Schmid TM (1991) Elevated extracellular calcium concentrations induce type X collagen synthesis in chondrocyte cultures. *J Cell Biol*; 115: 1171-1178
166. Mansfield K, Teixeira CC, Adams CS, Shapiro IM (2001) Phosphate ions mediate chondrocyte apoptosis through a plasma membrane transporter mechanism. *Bone*; 28: 1-8
167. Mansfield K, Pucci B, Adams CS, Shapiro IM (2003) Induction of Apoptosis in Skeletal Tissues: Phosphate-Mediated Chick Chondrocyte Apoptosis is Calcium Dependent. *Calcif Tissue Int*; Epub ahead of print
168. Kouri JB, Aguilera JM, Reyes J, Lozoya KA, Gonzalez S (2000) Apoptotic chondrocytes from osteoarthrotic human articular cartilage and abnormal calcification of subchondral bone. *J Rheumatol*; 27: 1005-1019
169. Sherwood JK, Riley SL, Palazzolo R, Brown SC, Monkhouse DC, Coates M, Griffith LG, Landeen LK, Ratcliffe A (2002) A three-dimensional osteochondral composite scaffold for articular cartilage repair. *Biomaterials*; 23: 4739-4751
170. Schaefer D, Martin I, Shastri P, Padera RF, Langer R, Freed LE, Vunjak-Novakovic G (2000). In vitro generation of osteochondral composites. *Biomaterials*; 21: 2599-2606
171. Murphy WL, Peters MC, Kohn DH, Mooney DJ (2000) Sustained release of vascular endothelial growth factor from mineralized poly(lactide-co-glycolide) scaffolds for tissue engineering. *Biomaterials*; 21: 2521-2527
172. Agrawal CM, Ray RB (2001) Biodegradable polymeric scaffolds for musculoskeletal tissue engineering. *J Biomed Mater*; 55: 141-50
173. Woodfield TB, Bezemer JM, Pieper JS, van Blitterswijk CA, Riesle J (2002) Scaffolds for tissue engineering of cartilage. *Crit Rev Eukaryot Gene Expr*; 12: 209-236
174. Cancedda R, Dozin B, Giannoni P, Quarto R (2003) Tissue engineering and cell therapy of cartilage and bone. *Matrix Biol*; 22: 81-91
175. Qi WN, Scully SP (2003) Type II collagen modulates the composition of extracellular matrix synthesized by articular chondrocytes. *J Orthop Res*; 21: 282-289
176. Murphy CL, Sambanis A (2001) Effect of oxygen tension on chondrocyte extracellular matrix accumulation. *Connect Tissue Res*; 42: 87-96.
177. Koyano Y, Hejna M, Flechtenmacher J, Schmid TM, Thonar EJ, Mollenhauer J (1996) Collagen and proteoglycan production by bovine fetal and adult chondrocytes under low levels of calcium and zinc ions. *Connect Tissue Res*; 34: 213-225
178. Williams CJ, Jimenez SA (1993) Heredity, genes and osteoarthritis. *Rheum Dis Clin North Am*; 19: 523-543
179. Loughlin J (2001) Genetic epidemiology of primary osteoarthritis. *Curr Opin Rheumatol*; 13: 111-116
180. Martin JA, Buckwalter JA (2003) The role of chondrocyte senescence in the pathogenesis of osteoarthritis and in limiting cartilage repair. *J Bone Joint Surg Am*; 85-A (Suppl 2): 106-110

181. Price JS, Waters JG, Darrah C, Pennington C, Edwards DR, Donell ST, Clark IM (2002) The role of chondrocyte senescence in osteoarthritis. *Aging Cell*; 1: 57-65
182. Wells T, Davidson C, Morgelin M, Bird JL, Bayliss MT, Dudhia J (2003) Age-related changes in the composition, the molecular stoichiometry and the stability of proteoglycan aggregates extracted from human articular cartilage. *Biochem J*; 15: 69-79
183. Lippiello L (2003) Glucosamine and chondroitin sulfate: biological response modifiers of chondrocytes under simulated conditions of joint stress. *Osteoarthritis Cartilage*; 11: 335-342
184. Aigner T, Kurz B, Fukui N, Sandell L (2002) Roles of chondrocytes in the pathogenesis of osteoarthritis. *Curr Opin Rheumatol*; 14: 578-584
185. Cullinane DM, Salisbury KT, Alkhiary Y, Eisenberg S, Gerstenfeld L, Einhorn TA (2003) Effects of the local mechanical environment on vertebrate tissue differentiation during repair: does repair recapitulate development? *J Exp Biol*; 206: 2459-2471
186. Chiquet M (1999) Regulation of extracellular matrix gene expression by mechanical stress. *Matrix Biol*; 18: 417-426
187. Hering TM (1999) Regulation of chondrocyte gene expression. *Front Biosci*; 15: 743-761
188. Archer CW, Francis-West P (2003) The chondrocyte. *Int J Biochem Cell Biol*; 35: 401-404
189. Vinall RL, Lo SH, Reddi AH (2002) Regulation of articular chondrocyte phenotype by bone morphogenetic protein 7, interleukin 1, and cellular context is dependent on the cytoskeleton. *Exp Cell Res*; 272: 32-44
190. Hill DJ, Logan A (1992) Peptide growth factors and their interactions during chondrogenesis. *Prog Growth Factor Res*; 4: 45-68
191. Chubinskaya S, Merrihew C, Cs-Szabo G, Mollenhauer J, McCartney J, Rueger DC, Kuettner KE (2000) Human articular chondrocytes express osteogenic protein-1. *J Histochem Cytochem*; 48: 239-250
192. Bobacz K, Gruber R, Soleiman A, Graninger WB, Luyten FP, Erlacher L (2002) Cartilage-derived morphogenetic protein-1 and -2 are endogenously expressed in healthy and osteoarthritic human articular chondrocytes and stimulate matrix synthesis. *Osteoarthritis Cartilage*; 10: 394-401
193. Hickey DG, Frenkel SR, Di Cesare PE (2003) Clinical applications of growth factors for articular cartilage repair. *Am J Orthop*; 32: 70-76
194. van den Berg WB, van der Kraan PM, Scharstuhl A, van Beuningen HM (2001) Growth factors and cartilage repair. *Clin Orthop*; 391 (Suppl): 244-250
195. Nishihara A, Fujii M, Sampath TK, Miyazono K, Reddi AH (2003) Bone morphogenetic protein signaling in articular chondrocyte differentiation. *Biochem Biophys Res Commun*; 301: 617-622
196. Flechtenmacher J, Huch K, Thonar EJ, Mollenhauer JA, Davies SR, Schmid TM, Puhl W, Sampath TK, Aydelotte MB, Kuettner KE (1996) Recombinant human osteogenic protein 1 is a potent stimulator of the synthesis of cartilage proteoglycans and collagens by human articular chondrocytes. *Arthritis Rheum*; 39: 1896-1904
197. Nishida Y, Knudson CB, Kuettner KE, Knudson W (2000) Osteogenic protein-1 promotes the synthesis and retention of extracellular matrix within bovine articular cartilage and chondrocyte cultures. *Osteoarthritis Cartilage*; 8: 127-136

198. Huch K, Wilbrink B, Flechtenmacher J, Koepp HE, Aydelotte MB, Sampath TK, Kuettner KE, Mollenhauer J, Thonar EJ (1997) Effects of recombinant human osteogenic protein 1 on the production of proteoglycan, prostaglandin E<sub>2</sub>, and interleukin-1 receptor antagonist by human articular chondrocytes cultured in the presence of interleukin-1 $\beta$ . *Arthritis Rheum*; 40: 2157-2161
199. Fernandes JC, Martel-Pelletier J, Pelletier JP (2002) The role of cytokines in osteoarthritis pathophysiology. *Biorheology*; 39: 237-246
200. Abramson SB, Amin A (2002) Blocking the effects of IL-1 in rheumatoid arthritis protects bone and cartilage. *Rheumatology*; 41: 972-980
201. Joosten LA, Lubberts E, Durez P, Helsen MM, Jacobs MJ, Goldman M, van den Berg WB (1997) Role of interleukin-4 and interleukin-10 in murine collagen-induced arthritis. Protective effect of interleukin-4 and interleukin-10 treatment on cartilage destruction. *Arthritis Rheum*; 40: 249-260
202. Majumdar MK, Wang E, Morris EA (2001) BMP-2 and BMP-9 promotes chondrogenic differentiation of human multipotential mesenchymal cells and overcomes the inhibitory effect of IL-1. *J Cell Physiol*; 189: 275-284
203. Smith P, Shuler FD, Georgescu HI, Ghivizzani SC, Johnstone B, Niyibizi C, Robbins PD, Evans CH (2000) Genetic enhancement of matrix synthesis by articular chondrocytes: comparison of different growth factor genes in the presence and absence of interleukin-1. *Arthritis Rheum*; 43: 1156-1164
204. Hunziker EB, Driesang IM (2003) Functional barrier principle for growth-factor-based articular cartilage repair. *Osteoarthritis Cartilage*; 11: 320-327
205. Barry FP (2003) Mesenchymal stem cell therapy in joint disease. *Novartis Found Symp*; 249: 86-96
206. Wakitani S, Imoto K, Yamamoto T, Saito M, Murata N, Yoneda M (2002) Human autologous culture expanded bone marrow mesenchymal cell transplantation for repair of cartilage defects in osteoarthritic knees. *Osteoarthritis Cartilage*; 10: 199-206
207. Gelse K, von der Mark K, Schneider H (2003) Cartilage regeneration by gene therapy. *Curr Gene Ther*; 3: 305-317
208. Grande DA, Mason J, Light E, Dines D (2003) Stem cells as platforms for delivery of genes to enhance cartilage repair. *J Bone Joint Surg Am*; 85-A (Suppl 2): 111-116
209. Evans CH, Robbins PD (1999) Potential treatment of osteoarthritis by gene therapy. *Rheum Dis Clin North Am*; 25: 333-344
210. Hidaka C, Goodrich LR, Chen CT, Warren RF, Crystal RG, Nixon AJ (2003) Acceleration of cartilage repair by genetically modified chondrocytes over expressing bone morphogenetic protein-7. *J Orthop Res*; 21: 573-583
211. Kaps C, Bramlage C, Smolian H, Haisch A, Ungethum U, Burmester GR, Sittinger M, Gross G, Haupl T (2002) Bone morphogenetic proteins promote cartilage differentiation and protect engineered artificial cartilage from fibroblast invasion and destruction. *Arthritis Rheum*; 46: 149-162
212. Wu F, Dunkelman N, Peterson A, Davisson T, De La Torre R, Jain D (1999) Bioreactor development for tissue-engineered cartilage. *Ann N Y Acad Sci*; 875: 405-411
213. Vunjak-Novakovic G (2003) The fundamentals of tissue engineering: scaffolds and bioreactors. *Novartis Found Symp*; 249: 34-46

214. Loeser RF, Pacione CA, Chubinskaya S (2003) The combination of insulin-like growth factor 1 and osteogenic protein 1 promotes increased survival of and matrix synthesis by normal and osteoarthritic human articular chondrocytes. *Arthritis Rheum*; 48: 2188-2196
215. Luyten FP, Dell'Accio F, De Bari C (2001) Skeletal tissue engineering: opportunities and challenges. *Best Pract Res Clin Rheumatol*; 15: 759-769
216. Noel D, Djouad F, Jorgense C (2002) Regenerative medicine through mesenchymal stem cells for bone and cartilage repair. *Curr Opin Investig Drugs*; 3: 1000-1004
217. Reddi AH (2001) Interplay between bone morphogenetic proteins and cognate binding proteins in bone and cartilage development: noggin, chordin and DAN. *Arthritis Res*; 3: 1-5. Epub
218. Lee JW, Qi WN, Scully SP (2002) The involvement of beta1 integrin in the modulation by collagen of chondrocyte-response to transforming growth factor-beta1. *J Orthop Res*; 20: 66-75
219. Scully SP, Lee JW, Ghert PMA, Qi W (2001) The role of the extracellular matrix in articular chondrocyte regulation. *Clin Orthop*; 391 (Suppl): 72-89
220. Hunziker EB, Driesang IM, Morris EA (2001) Chondrogenesis in cartilage repair is induced by members of the transforming growth factor-beta superfamily. *Clin Orthop*; 391 (Suppl): 171-181
221. Nakase T, Miyaji T, Tomita T, Kaneko M, Kuriyama K, Myoui A, Sugamoto K, Ochi T, Yoshikawa H (2003) Localization of bone morphogenetic protein-2 in human osteoarthritic cartilage and osteophyte. *Osteoarthritis Cartilage*; 11: 278-284
222. Holland TA, Mikos AG (2003) Advances in drug delivery for articular cartilage. *J Control Release*; 86: 1-14
223. Nof M, Shea LD (2002) Drug-releasing scaffolds fabricated from drug-loaded microspheres. *J Biomed Mater Res*; 59: 349-356
224. Whitaker MJ, Quirk RA, Howdle SM, Shakesheff KM (2001) Growth factor release from tissue engineering scaffolds. *J Pharm Pharmacol*; 53: 1427-1437
225. Hu Y, Hollinger JO, Marra KG (2001) Controlled release from coated polymer microparticles embedded in tissue-engineered scaffolds. *J Drug Target*; 9: 431-438
226. Cui D, Gao H (2003) Advance and prospect of bionanomaterials. *Biotechnol Prog*; 19: 683-692
227. Hata K (2003) [Intelligent materials in regenerative medicine and the use]. *Nippon Rinsho*; 61: 421-425
228. Miyata T, Uragami T, Nakamae K (2002) Biomolecule-sensitive hydrogels. *Adv Drug Deliv Rev*; 54: 79-98
229. Jeong B, Gutowska A (2002) Lessons from nature: stimuli-responsive polymers and their biomedical applications. *Trends Biotechnol*; 20: 305-311